



HINO

300



HINO SPECIFICATION SHEET

[illegible]

HINO SPECIFICATION SHEET

	Hino 300 614 SWB MT	Hino 300 614 SWB AT	Hino 300 614 LWB MT	Hino 300 714 SWB MT	Hino 300 714 SWB AT	Hino 300 714 LWB MT	Hino 300 714 LWB CC AT	Hino 300 816 SWB MT	Hino 300 816 SWB AT	Hino 300 816 LWB CC AT	Hino 300 916 LWB MT	Hino 300 916 LWB AT	Hino 300 916 LWB CC AT
Engine													
Bore x Stroke (mm)	104 X 118	104 X 118	104 X 118	104 X 118	104 X 118	104 X 118	104 X 118	104 X 118	104 X 118	104 X 118	104 X 118	104 X 118	104 X 118
Piston Displacement (cc)	4009	4009	4009	4009	4009	4009	4009	4009	4009	4009	4009	4009	4009
Compression Ratio	18:1	18:1	18:1	18:1	18:1	18:1	18:1	18:1	18:1	18:1	18:1	18:1	18:1
Configuration	In-line Cylinder	In-line Cylinder	In-line Cylinder	In-line Cylinder	In-line	In-line Cylinder	In-line Cylinder	In-line	In-line	In-line	In-line	In-line	In-line
Engine Oil Cooler	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Euro Emission Status	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3	Euro 3
Firing Order	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2	1 - 3 - 4 - 2
Max Eng. Speed (rpm)	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100
No. of Main Bearings	5	5	5	5	5	5	5	5	5	5	5	5	5
Number of Cylinders	4	4	4	4	4	4	4	4	4	4	4	4	4
Number of Valves per Cylinder	4	4	4	4	4	4	4	4	4	4	4	4	4
Power (EEC/ISO NET) (kW @ rpm)	100 @ 2500	100 @ 2500	100 @ 2500	100 @ 2500	100 @ 2500	100 @ 2500	100 @ 2500	110 @ 2800	110 @ 2800	110 @ 2800	110 @ 2800	110 @ 2800	110 @ 2800
Torque (Nm @ rpm)	392 @ 1600	392 @ 1600	392 @ 1600	392 @ 1600	392 @ 1600	392 @ 1600	392 @ 1600	420 @ 1400	420 @ 1400	420 @ 1400	420 @ 1400	420 @ 1400	420 @ 1400
Type of Cylinders	Dry Liners	Dry Liners	Dry Liners	Dry Liners	Dry Liners	Dry Liners	Dry Liners	Dry Liners	Dry Liners	Dry Liners	Dry Liners	Dry Liners	Dry Liners
Valve Configuration	Overhead	Overhead	Overhead	Overhead	Overhead	Overhead	Overhead	Overhead	Overhead	Overhead	Overhead	Overhead	Overhead
Mass Data (kg)													
A - Front	2300	2300	2300	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100
A - Rear	4360	4360	4360	5100	5100	5100	5100	5500	5500	5500	6200	6200	6200
Approx. Body + Payload Allowance	3365	3325	3295	4030	3990	4010	3760	4980	4950	4715	5915	5885	5665
D/T	7300	7300	7300	8300	8300	8300	8300	9300	9300	9300	10300	10300	10300
GA - Front	2600	2600	2600	3100	3100	3100	3100	3100	3100	3100	3100	3100	3100
GA - Rear	4400	4400	4400	5100	5100	5100	5100	5500	5500	5500	6200	6200	6200
GCM	7300	7300	7300	8300	8300	8300	8300	9300	9300	9300	10300	10300	10300

</[illegible]

</[illegible]

</

	Hino 300 614 SWB MT	Hino 300 614 SWB AT	Hino 300 614 LWB MT	Hino 300 714 SWB MT	Hino 300 714 SWB AT	Hino 300 714 LWB MT	Hino 300 714 LWB CC AT	Hino 300 816 SWB MT	Hino 300 816 SWB AT	Hino 300 816 LWB CC AT	Hino 300 916 LWB MT	Hino 300 916 LWB AT	Hino 300 916 LWB CC AT
Fuel Tank													
Capacity (ℓ)	80	80	100	100	100	100	100	100	100	100	150	150	100
Safety and Security													
Airbags	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Seatbelt Pre-tensioner	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Transponder Key Immobiliser	•	•	•	•	•	•	•	•	•	•	•	•	•
Daytime Running Lights	•	•	•	•									
Side Impact Beams	•	•	•	•	•	•	•	•	•	•	•	•	•
Microdot Vehicle Identification	•	•	•	•	•	•	•	•	•	•	•	•	•
Comfort and Convenience													
Air Conditioner	•	•	•	•	•	•	•	•	•	•	•	•	•
Key Activated Central Locking	•	•	•	•	•	•	•	•	•	•	•	•	•
Electric Windows	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
AM / FM Radio with CD Player, USB, AUX, Bluetooth	•	•	•	•	•	•	•	•	•	•	•	•	•
Storage Facilities	•	•	•	•	•	•	•	•	•	•	•	•	•
Service and Maintenance Plans													
Service Intervals*	20 000 km	20 000 km	20 000 km	20 000 km	20 000 km	20 000 km	20 000 km	20 000 km	20 000 km	20 000 km	20 000 km	20 000 km	20 000 km
Warranty	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km	24 Months Unlimited km
Advalorem Tariff Headings													
	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)	8704.22.90(0)
* Please refer to Hino Care Disclaimer													

HINO VALUE ADDED SERVICES

HOW HINO GOES THE DISTANCE FOR ITS CUSTOMERS

24-HOUR ROADSIDE ASSISTANCE

- Hino dealer service and parts assistance
- Hino's Dealer Network is more than 60 strong in Southern Africa
- 24-hour call centre 0800 878 257 (0800 TRUCKS)
- Technically-trained staff for breakdown assistance
- Roadside security – In the event that your vehicle breaks down in an unsafe area
- Medical assistance

WARRANTY PERIOD

- 300 Series – 24 months, unlimited km

SERVICE INTERVALS

- 300 Series – 20 000 km*
- * Dependent on application and operating conditions
- Speak to your Hino dealer for more information

TOWING ASSISTANCE

- Recovery towing services to the nearest Hino dealer for repairs or to a safe location

HINO-CONNECT

- HINO-CONNECT is a telematics fleet management system equipped as standard on all new Hino trucks in South Africa
- It provides vehicle tracking and recovery
- Fuel consumption, oil and water temperatures as well as fault reporting

SERVICE AND MAINTENANCE PLANS

- These can be tailor-made to your requirements
- Speak to your Hino dealer for more information



SERVICE AND MAINTENANCE PLANS

Your Hino 300's Service and Maintenance plans can be tailor-made to your requirements. For complete convenience, current plans can be up or downgraded to provide more or less cover, depending on each owner's requirements.

Certain vehicle details and specifications contained in this brochure may differ from the available models. Hino Motors Limited and Hino South Africa reserves the right to alter any details of specifications and equipment without notice. For the most current information on prices and specifications, as well as comprehensive information about products offered by Hino, contact your dealer, or Hino South Africa. Call 0800 139 111 or visit www.hino.co.za

Date:

Part No.